


No. 38
2025
web

NITTO





Track Racing




approved by "KEIRIN"
Professional Races in Japan
本品はJKAの競走車部品
適合認定品です

NS



B123 Steel




- MATERIAL / STEEL TUBE
- CENTER DIAM / $\phi 25.4$
- BAR DIAM / $\phi 23.8$
- COLOR / SILVER

MODEL	WIDTH	DROP	REACH	WEIGHT
B123-34	340	170	108	700 g
B123-35	350			710 g
B123-36	360			720 g
B123-37	370			730 g
B123-38	380			740 g
B123-39	390			750 g
B123-40	400			760 g

NS



B123AA




- MATERIAL / HEAT TREATED ALUMINUM
- CENTER DIAM / $\phi 25.4$
- BAR DIAM / $\phi 23.8$
- COLOR / SILVER ANODIZED

MODEL	WIDTH	DROP	REACH	WEIGHT
B123AA-35	350	175	95	325 g
B123AA-36	360			330 g
B123AA-37	370			335 g
B123AA-38	380			340 g
B123AA-39	390			345 g
B123AA-40	400			350 g

NS



B123Cr.Mo.




- MATERIAL / CrMo STEEL TUBE
- CENTER DIAM / $\phi 25.4$
- BAR DIAM / $\phi 23.8$
- COLOR / SILVER

MODEL	WIDTH	DROP	REACH	WEIGHT
B123CrMo-34	340	170	108	665 g
B123CrMo-35	350			675 g
B123CrMo-36	360			685 g
B123CrMo-37	370			695 g
B123CrMo-38	380			705 g
B123CrMo-39	390			715 g
B123CrMo-40	400			725 g
B123CrMo-41	410			735 g
B123CrMo-42	420			745 g

NS



B125 Steel




- MATERIAL / STEEL TUBE
- CENTER DIAM / $\phi 25.4$
- BAR DIAM / $\phi 23.8$
- COLOR / SILVER

MODEL	WIDTH	DROP	REACH	WEIGHT
B125-36	360	152	92	660 g
B125-37	370			670 g
B125-38	380			680 g
B125-39	390			690 g
B125-40	400			700 g
B125-41	410			710 g
B125-42	420			720 g

NS



B125AA




- MATERIAL / HEAT TREATED ALUMINUM
- CENTER DIAM / $\phi 25.4$
- BAR DIAM / $\phi 23.8$
- COLOR / SILVER ANODIZED

MODEL	WIDTH	DROP	REACH	WEIGHT
B125AA-35	350	150	88	305 g
B125AA-36	360			310 g
B125AA-37	370			315 g
B125AA-38	380			320 g
B125AA-39	390			325 g
B125AA-40	400			330 g

Track Racing



N.J.PRO AA




- MATERIAL / FORGED ALUMINUM
- BAR CLAMP / $\phi 25.4\text{mm}$
- POST DIAM / $\phi 22.2\text{mm}$
- COLOR / SILVER ANODIZED

MODEL	EXTENSION	COLUMN	WEIGHT
N.J.PRO AA 80	80	125	280g
N.J.PRO AA 90	90		290g
N.J.PRO AA 100	100		300g
N.J.PRO AA 110	110		310g
N.J.PRO AA 120	120		320g



N.J.PRO 58°/65°




- MATERIAL / FORGED STEEL
- BAR CLAMP / $\phi 25.4\text{mm}$
- POST DIAM / $\phi 22.2\text{mm}$
- COLOR / SILVER

MODEL	EXTENSION	COLUMN	WEIGHT
N.J.PRO 70	70	125	365g
N.J.PRO 75	75		373g
N.J.PRO 80	80		380g
N.J.PRO 85	85		388g
N.J.PRO 90	90		395g
N.J.PRO 95	95		402g
N.J.PRO 100	100		410g
N.J.PRO 105	105		418g
N.J.PRO 110	110		426g
N.J.PRO 115	115		434g
N.J.PRO 120	120		442g
N.J.PRO 125	125		450g
N.J.PRO 130	130		458g
N.J.PRO 135	135		467g
N.J.PRO 140	140		475g



NP II



※モデル名を Pearl II より NP II に変更いたします。
NJS マーク入りの旧 Pearl I 及び Pearl II を、
お持ちの方は今まで通り、競輪で使用できます。

MODEL	EXTENSION	COLUMN	WEIGHT
NP II 8	80	150	300g
NP II 9	90		315g
NP II 10	100		330g
NP II 11	110		345g
NP II 12	120		360g

- MATERIAL / FORGED ALUMINUM
- BAR CLAMP / $\phi 25.4\text{mm}$
- POST DIAM / $\phi 22.2\text{mm}$
- COLOR / SILVER ANODIZED

NJ-89



NJS girls keirin stem

- MATERIAL / FORGED ALUMINUM
- BAR CLAMP / $\phi 25.4\text{mm}$
- POST CLAMP / $\phi 28.6\text{mm}$
- ANGLE / 73°
- COLOR / SILVER ANODIZED



MODEL	EXTENSION	WEIGHT
NJ-89 60	60	140g
NJ-89 70	70	144g
NJ-89 80	80	148g
NJ-89 90	90	152g
NJ-89 100	100	156g
NJ-89 110	110	160g
NJ-89 120	120	164g

※ for B123AA、B125AA
※ 適用ハンドルバー B123AA、B125AA

TRACK RACING SEAT POST

Two-Bolt type, tighten from bottom of the clamp.

トラックレース用 シートピラー
2本のボルトで下から締める構造



NJ·SP72-W44

- MATERIAL / FORGED ALUMINUM
- POST DIAM / $\phi 27.2$
/ $\phi 27.0$
/ $\phi 26.8$
- LENGTH / 210, 250mm
- SADDLE RAIL WIDTH / 44mm
- OFFSET / 22mm
- WEIGHT / 270, 290g
- COLOR / SILVER ANODIZED



NJ·SP72-W30

- MATERIAL / FORGED ALUMINUM
- POST DIAM / $\phi 27.2$
/ $\phi 27.0$
/ $\phi 26.8$
- LENGTH / 210, 250mm
- SADDLE RAIL WIDTH / 30mm
- OFFSET / 22mm
- WEIGHT / 245, 265g
- COLOR / SILVER ANODIZED

NJ·SP72




Track Racing

Over sized



B123CrMo-SSB

- MATERIAL / CrMo STEEL TUBE
- CENTER DIA / $\phi 31.8$
- BAR DIA / $\phi 23.8$
- COLOR / SILVER




MODEL	WIDTH	DROP	REACH	WEIGHT
B123CrMo-SSB 370	370	170	108	560 g
B123CrMo-SSB 380	380			570 g
B123CrMo-SSB 390	390			580 g
B123CrMo-SSB 400	400			590 g
B123CrMo-SSB 420	420			600 g



B123AA-SSB

- MATERIAL / HEAT TREATED ALUMINUM
- CENTER DIA / $\phi 31.8$
- BAR DIA / $\phi 23.8$
- COLOR / SILVER ANODIZED




MODEL	WIDTH	DROP	REACH	WEIGHT
B123AA-SSB 370	370	175	95	340 g
B123AA-SSB 380	380			345 g
B123AA-SSB 390	390			350 g
B123AA-SSB 400	400			355 g
B123AA-SSB 420	420			360 g



CARBON DROPBAR

B123CB (31.8)




CARBON DROPBAR (for TRACK)

- MATERIAL / CARBON FIBER
- CENTER DIAM / $\phi 31.8$
- BAR DIAM / $\phi 23.8$
- COLOR / BLACK /BLUE

MODEEL	WIDTH	A	DROP	REACH	WEIGHT
B123CB W380	380	122	170	108	247 g
B123CB W390	390	132			252 g
B123CB W400	400	142			257 g

Mod.90 SSB (31.8)



CARBON DROPBAR (for ROAD)

- MATERIAL / CARBON FIBER
- CENTER DIAM / $\phi 31.8$
- BAR DIAM / $\phi 24.0$
- COLOR / BLACK


MODEEL	WIDTH	A	DROP	REACH	WEIGHT
Mod.90 SSB W400	400	148	128	78	243 g



Road Racing



M106SSB(31.8)




- MATERIAL/HEAT TREATED ALUMINUM
- CENTER DIAM/φ31.8
- BAR DIAM/φ24.0
- COLOR/SILVER/BLACK ANODIZED

MODEL	WIDTH	DROP	REACH	WEIGHT
M106SSB-380	380	128	78	330 g
M106SSB-400	400			340 g
M106SSB-420	420			350 g



M106 NAS




- MATERIAL/HEAT TREATED ALUMINUM
- CENTER DIAM/φ26.0
- BAR DIAM/φ24.0
- COLOR/SILVER/BLACK ANODIZED

MODEL	WIDTH	DROP	REACH	WEIGHT
M106NAS-380	380	128	78	300 g
M106NAS-400	400			310 g
M106NAS-420	420			320 g



M186 STI




- MATERIAL/HEAT TREATED ALUMINUM
- CENTER DIAM/φ26.0
- BAR DIAM/φ24.0
- COLOR/SILVER/BLACK ANODIZED

MODEL	WIDTH	DROP	REACH	WEIGHT
M186STI-380	380	122	80	300 g
M186STI-400	400			305 g
M186STI-420	420			310 g



M190Euro80




- MATERIAL/HEAT TREATED ALUMINUM
- CENTER DIAM/φ26.0
- BAR DIAM/φ24.0
- COLOR/SILVER ANODIZED

MODEL	WIDTH	DROP	REACH	WEIGHT
M190Euro80-380	380	131	80	310 g
M190Euro80-400	400			315 g
M190Euro80-420	420			320 g

With cable grooves ワイヤ溝付
With double cable grooves 前後ワイヤ溝付



M151AAF




- MATERIAL/ALUMINUM
- CENTER DIAM/φ26.0
- BAR DIAM/φ24.0
- COLOR/SILVER ANODIZED

MODEL	WIDTH	DROP	REACH	WEIGHT
M151AAF-380	380	128	78	325 g
M151AAF-400	400			330 g
M151AAF-420	420			335 g
M151AAF-440	440			365 g
M151AAF-460	460			370 g




Road Racing

B105AA-SSB




- MATERIAL / HEAT TREATED ALUMINUM
- CENTER DIAM / $\phi 31.8$
- BAR DIAM / $\phi 23.8$
- COLOR / SILVER / BLACK ANODIZED

MODEL	WIDTH	DROP	REACH	WEIGHT
B105AA-SSB-400	400	135	95	360 g
B105AA-SSB-420	420			370 g
B105AA-SSB-440	440			380 g




B105AA




- MATERIAL / ALUMINUM
- CENTER DIAM / $\phi 25.4$
- BAR DIAM / $\phi 23.8$
- COLOR / SILVER ANODIZED

MODEL	WIDTH	DROP	REACH	WEIGHT
B105AA-370	370	135	95	300 g
B105AA-380	380			305 g
B105AA-390	390			310 g
B105AA-400	400			315 g
B105AA-410	410			320 g
B105AA-420	420			325 g




Neat Mod.185




- MATERIAL / ALUMINUM
- CENTER DIAM / $\phi 26.0$
- BAR DIAM / $\phi 24.0$
- COLOR / SILVER ANODIZED

MODEL	WIDTH	DROP	REACH	WEIGHT
Neat Mod.185-380	380	140	82	330 g
Neat Mod.185-400	400			340 g
Neat Mod.185-420	420			350 g




B115AA



- MATERIAL / ALUMINUM
- CENTER DIAM / $\phi 25.4$
- BAR DIAM / $\phi 23.8$
- COLOR / SILVER ANODIZED



MODEL	WIDTH	DROP	REACH	WEIGHT
B115AA-380	380	140	100	315 g
B115AA-400	400			325 g
B115AA-420	420			335 g
B115AA-440	440			390 g
B115AA-450	450			395 g





RB-018

- MATERIAL / HEAT TREATED ALUMINUM
- CENTER DIAM / $\phi 26.0$
- BAR DIAM / $\phi 24.0$
- COLOR / LIGHT GRAY ANODIZED





MODEL	WIDTH	DROP	REACH	WEIGHT
RB-018-380	380	0	154	260 g
RB-018-390	390			265 g
RB-018-400	400			270 g
RB-018-420	420			275 g



RB-021

- MATERIAL / ALUMINUM
- CENTER DIAM / $\phi 25.4 / \phi 26.0$
- BAR DIAM / $\phi 23.8$
- COLOR / SILVER ANODIZED





MODEL	WIDTH	DROP	REACH	WEIGHT
RB-021-380	380	60	167	265 g
RB-021-400	400			270 g
RB-021-420	420			275 g



RB-021-SSB

- MATERIAL / HEAT TREATED ALUMINUM
- CENTER DIAM / $\phi 31.8$
- BAR DIAM / $\phi 23.8$
- COLOR / SILVER ANODIZED





MODEL	WIDTH	DROP	REACH	WEIGHT
RB-021AA-SSB-380	380	60	167	275 g
RB-021AA-SSB-400	400			280 g
RB-021AA-SSB-420	420			285 g



RB-010

- MATERIAL / ALUMINUM
- CENTER DIAM / $\phi 25.4$
- BAR DIAM / $\phi 23.8$
- COLOR / SILVER / BLACK ANODIZED



MODEL	WIDTH	DROP	REACH	WEIGHT
RB-010	400	27	152	295 g





M137 SSB



- MATERIAL / HEAT TREATED ALUMINUM
- CENTER DIAM / $\phi 31.8$
- BAR DIAM / $\phi 23.8$
- COLOR / SILVER / BLACK ANODIZED

MODEL	WIDTH	DROP	REACH	WEIGHT
M137 SSB-480	480	128	78	365 g
M137 SSB-500	500			375 g
M137 SSB-520	520			385 g
M137 SSB-540	540			400 g





B135AA-SSB



- MATERIAL / HEAT TREATED ALUMINUM
- CENTER DIAM / $\phi 31.8$
- BAR DIAM / $\phi 23.8$
- COLOR / SILVER ANODIZED

MODEL	WIDTH	DROP	REACH	WEIGHT
B135AA-SSB-390	390	120	105	330 g
B135AA-SSB-420	420			340 g
B135AA-SSB-450	450			350 g




RM-3 SSB




- MATERIAL / HEAT TREATED ALUMINUM
- CENTER DIAM / $\phi 31.8$
- BAR DIAM / $\phi 23.8$
- COLOR / SILVER ANODIZED

MODEL	WIDTH	DROP	REACH	WEIGHT
RM-3 SSB-520	520	120	65	285 g
RM-3 SSB-540	540			305 g
RM-3 SSB-580	580			325 g


(31.8)



RM-3(25.4)




RM-013HT



- MATERIAL/HEAT TREATED ALUMINUM
- CENTER DIAM/φ26.0
- BAR DIAM/φ23.8
- COLOR/SILVER

MODEL	WIDTH	DROP	REACH	WEIGHT
RM-013HT-460	460	140	92	410 g
RM-013HT-480	480			420 g
RM-013HT-520	520			430 g


RM-014FSSB
(31.8)



- MATERIAL/ALUMINUM
- CENTER DIAM/φ31.8
- BAR DIAM/φ24.0
- COLOR/SILVER

MODEL	WIDTH	DROP	REACH	WEIGHT
RM-014FSSB-500	500	145	80	440 g
RM-014FSSB-520	520			450 g
RM-014FSSB-540	540			460 g

RM-016



- MATERIAL/HEAT TREATED ALUMINUM
- CENTER DIAM/φ25.4 or φ26.0
- BAR DIAM/φ23.8
- COLOR/SILVER ANODIZED


MODEL	WIDTH	DROP	REACH	WEIGHT
RM-016-26.0	515	50	95	370 g
RM-016-25.4				



Touring



B130AAF




- MATERIAL / ALUMINUM
- CENTER DIAM / $\phi 25.4$
- BAR DIAM / $\phi 23.8$
- COLOR / SILVER ANODIZED

MODEL	WIDTH	DROP	REACH	WEIGHT
B130AAF-400	400	92	100	300 g



B132AAF




- MATERIAL / ALUMINUM
- CENTER DIAM / $\phi 25.4$
- BAR DIAM / $\phi 23.8$
- COLOR / SILVER ANODIZED

MODEL	WIDTH	DROP	REACH	WEIGHT
B132AAF-390	390	110	122	310 g
B132AAF-400	400			315 g
B132AAF-410	410			340 g
B132AAF-420	420			345 g
B132AAF-440	440			380 g
B132AAF-450	450			390 g



B135AA




- MATERIAL / ALUMINUM
- CENTER DIAM / $\phi 25.4$
- BAR DIAM / $\phi 23.8$
- COLOR / SILVER ANODIZED

MODEL	WIDTH	DROP	REACH	WEIGHT
B135AA-390	390	120	105	300 g
B135AA-420	420			315 g
B135AA-450	450			375 g
B135AA-480	480			395 g



B136AA




- MATERIAL / ALUMINUM
- CENTER DIAM / $\phi 25.4$
- BAR DIAM / $\phi 23.8$
- COLOR / SILVER ANODIZED

MODEL	WIDTH	DROP	REACH	WEIGHT
B136AA-400	400	128	100	315 g
B136AA-420	420			320 g



Mod.177



- MATERIAL / ALUMINUM
- CENTER DIAM / $\phi 26.0$
- BAR DIAM / $\phi 24.0$
- COLOR / SILVER ANODIZED


MODEL	WIDTH	DROP	REACH	WEIGHT
Mod.177-400	400	140	95	330 g
Mod.177-420	420			340 g
Mod.177-440	440			350 g

- MATERIAL / HEAT TREATED ALUMINUM
- CENTER DIAM / $\phi 26.0$
- BAR DIAM / $\phi 23.8$
- COLOR / SILVER ANODIZED

MODEL	WIDTH	DROP	REACH	WEIGHT
Mod.177-460	460	140	95	375 g
Mod.177-480	480			385 g




B260AAF




- MATERIAL / ALUMINUM
- CENTER DIAM / $\phi 25.4$ mm
- BAR DIAM / $\phi 23.8$ mm
- BACK SWEEP / 12°
- COLOR / SILVER ANODIZED

MODEL	WIDTH	RISE	DEPTH	WEIGHT
B260AAF	480	35	58	210 g




B220AAF




- MATERIAL / ALUMINUM
- CENTER DIAM / $\phi 25.4$ mm
- BAR DIAM / $\phi 22.2$ mm
- BACK SWEEP / 10°
- COLOR / SILVER ANODIZED

MODEL	WIDTH	RISE	DEPTH	WEIGHT
B220AAF	480	38	58	265 g




B221AA-HT





- MATERIAL / HEAT TREATED ALUMINUM
- CENTER DIAM / $\phi 25.4$ mm
- BAR DIAM / $\phi 22.2$ mm
- BACK SWEEP / 10°
- COLOR / SILVER ANODIZED

MODEL	WIDTH	RISE	DEPTH	WEIGHT
B221AA-HT	470	45	52	275 g




B230AAF




- MATERIAL / ALUMINUM
- CENTER DIAM / $\phi 25.4$ mm
- BAR DIAM / $\phi 22.2$ mm
- BACK SWEEP / 16°
- COLOR / SILVER ANODIZED

MODEL	WIDTH	RISE	DEPTH	WEIGHT
B230AAF	580	22	68	310 g



※ シマノ グリップシフター 装着可

B267AA-SSB




- MATERIAL / HEAT TREATED ALUMINUM
- CENTER DIAM / $\phi 31.8$ mm
- BAR DIAM / $\phi 22.2$ mm
- BACK SWEEP / 18°
- COLOR / SILVER / MATTE BLACK ANODIZED

MODEL	WIDTH	RISE	DEPTH	WEIGHT
B267AA-SSB	520	38	57	218 g






B201AA



- MATERIAL / ALUMINUM
- CENTER DIAM / $\phi 25.4$
- BAR DIAM / $\phi 22.2$
- BACK SWEEP / 0°
- COLOR / SILVER / BLACK ANODIZED

MODEL	WIDTH	RISE	REACH	WEIGHT
B201AA	500	0	35	210 g


B206AA



- MATERIAL / ALUMINUM
- CENTER DIAM / $\phi 25.4$
- BAR DIAM / $\phi 22.2$
- BACK SWEEP / 18°
- COLOR / SILVER / BLACK ANODIZED

MODEL	WIDTH	RISE	REACH	WEIGHT
B206AA	525	15	34	225 g



B245AA



- MATERIAL / ALUMINUM
- CENTER DIAM / $\phi 25.4$
- BAR DIAM / $\phi 22.2$
- BACK SWEEP / 15°
- COLOR / SILVER ANODIZED

MODEL	WIDTH	RISE	REACH	WEIGHT
B245AA	545	22	14	270 g

B261AA




- MATERIAL / ALUMINUM
- CENTER DIAM / $\phi 25.4$
- BAR DIAM / $\phi 22.2$
- SWEEP / 54°
- COLOR / SILVER ANODIZED

MODEL	WIDTH	DROP	REACH	WEIGHT
B261AA480	480	14	112	275 g

Urban Cycle Handle bar



B263AA




- MATERIAL / ALUMINUM
- CENTER DIAM / $\phi 25.4$
- BAR DIAM / $\phi 22.2$
- SWEEP / 80°
- COLOR / SILVER ANODIZED

MODEL	WIDTH	DROP	REACH	WEIGHT
B263AA-340	340	0	112	215 g
B263AA-380	380			270 g
B263AA-420	420			295 g



RB-006




- MATERIAL / ALUMINUM
- CENTER DIAM / $\phi 25.4$
- BAR DIAM / $\phi 22.2$
- SWEEP / 80°
- COLOR / SILVER ANODIZED

MODEL	WIDTH	DROP	REACH	WEIGHT
RB-006-380	380	12	137	280 g
RB-006-400	400			290 g
RB-006-420	420			340 g
RB-006-480	480	12	137	310 g



B2500AA




- MATERIAL / ALUMINUM
- CENTER DIAM / $\phi 25.4$
- BAR DIAM / $\phi 22.2$
- SWEEP / 80°
- COLOR / SILVER ANODIZED

MODEL	WIDTH	RISE	DEPTH	WEIGHT
B2500AA	500	0	0	210 g



B2520AA 25
B2520AA 26




- MATERIAL / ALUMINUM
- COLOR / SILVER / BLACK ANODIZED

MODEL	WIDTH	RISE	DEPTH	WEIGHT
B2520AA 25	520	0	18	225 g
B2520AA 26				



B2525AA 25
B2525AA 26




- MATERIAL / ALUMINUM
- COLOR / SILVER ANODIZED

MODEL	WIDTH	RISE	DEPTH	WEIGHT
B2525AA 25	580	0	54	255 g
B2525AA 26				



Standard Urban Cycle Handle bar


B2522AA-26(26.0)



- MATERIAL / ALUMINUM
- CENTER DIAM / $\phi 26.0$
- BAR DIAM / $\phi 22.2$
- BACK SWEEP / 42°
- COLOR / SILVER ANODIZED

MODEL	WIDTH	DROP	REACH	WEIGHT
B2522AA-610	610	0	23	305 g


B2522AA-SSB(31.8)



- MATERIAL / HEAT TREATED ALUMINUM
- CENTER DIAM / $\phi 31.8\text{mm}$
- BAR DIAM / $\phi 22.2\text{mm}$
- BACK SWEEP / 45°
- COLOR / SILVER / BLACK ANODIZED

MODEL	WIDTH	DROP	REACH	WEIGHT
B2522AA-SSB-610	610	0	20	395 g


B302AA



- MATERIAL / ALUMINUM
- CENTER DIAM / $\phi 25.4$
- BAR DIAM / $\phi 22.2$
- BACK SWEEP / 70°
- COLOR / SILVER ANODIZED

MODEL	WIDTH	RISE	REACH	WEIGHT
B302AA	490	65	48	360 g

B304AAF




- MATERIAL / ALUMINUM
- CENTER DIAM / $\phi 25.4$
- BAR DIAM / $\phi 22.2$
- BACK SWEEP / 76°
- COLOR / SILVER / BLACK ANODIZED

MODEL	WIDTH	RISE	REACH	WEIGHT
B304AAF	510	40	62	360 g


Urban Cycle Handle bar

B307AA




- MATERIAL / ALUMINUM
- COLOR / SILVER ANODIZED

MODEL	WIDTH	RISE	REACH	WEIGHT
B307AA	435	50	80	360 g




B352AA-HT




- MATERIAL / HEAT TREATED ALUMINUM
- COLOR / SILVER ANODIZED

MODEL	WIDTH	RISE	REACH	WEIGHT
B352AA-HT	550	50	35	315 g




B352CrMo




- MATERIAL / CrMo
- COLOR / SILVER

MODEL	WIDTH	RISE	REACH	WEIGHT
B352CrMo	550	50	35	555 g




B483AA




- MATERIAL / ALUMINUM
- COLOR / SILVER ANODIZED

MODEL	WIDTH	RISE	REACH	WEIGHT
B483AA	510	95	20	365 g






B602AA




- MATERIAL / ALUMINUM
- COLOR / SILVER ANODIZED

MODEL	WIDTH	RISE	DEPTH	WEIGHT
B602AA	490	68	192	380 g




B603AA




- MATERIAL / ALUMINUM
- COLOR / SILVER ANODIZED

MODEL	WIDTH	RISE	DEPTH	WEIGHT
B603AA	480	56	174	365 g




B604AAF




- MATERIAL / ALUMINUM
- COLOR / SILVER ANODIZED

MODEL	WIDTH	RISE	DEPTH	WEIGHT
B604AAF	530	68	198	340 g




B617AA




- MATERIAL / ALUMINUM
- COLOR / SILVER ANODIZED

MODEL	WIDTH	RISE	DEPTH	WEIGHT
B617AA	450	0	235	380 g




B622AA




- MATERIAL / ALUMINUM
- COLOR / SILVER ANODIZED

MODEL	WIDTH	RISE	DEPTH	WEIGHT
B622AA	550	0	160	320 g





Mountain Bike



B801AA-SSB

- MATERIAL/HEAT TREATED ALUMINUM
- CENTER DIAM/ $\phi 31.8\text{mm}$
- BAR DIAM/ $\phi 22.2\text{mm}$
- COLOR/SILVER/BLACK ANODIZED

MODEL	WIDTH	RISE	BACK SWEEP	WEIGHT
B801AA-SSB	730	48	15 °	395 g



B809AA-SSB

- MATERIAL/HEAT TREATED ALUMINUM
- CENTER DIAM/ $\phi 31.8\text{mm}$
- BAR DIAM/ $\phi 22.2\text{mm}$
- COLOR/SILVER/BLACK ANODIZED

MODEL	WIDTH	RISE	BACK SWEEP	WEIGHT
B809AA-SSB	730	32	8 °	385 g



B809AA

- MATERIAL/HEAT TREATED ALUMINUM
- CENTER DIAM/ $\phi 25.4\text{mm}$
- BAR DIAM/ $\phi 22.2\text{mm}$
- COLOR/SILVER/BLACK ANODIZED

MODEL	WIDTH	RISE	BACK SWEEP	WEIGHT
B809AA	630	22	10 °	305 g



B840AA-SSB

- MATERIAL/HEAT TREATED ALUMINUM
- CENTER DIAM/ $\phi 31.8\text{mm}$
- BAR DIAM/ $\phi 22.2\text{mm}$
- COLOR/MATTE BLACK ANODIZED (MATTE Black Only)

MODEL	WIDTH	RISE	BACK SWEEP	WEIGHT
B840AA-SSB	720	21	8 °	298 g



MT-11

- MATERIAL/ALUMINUM
- EXTENSION/100mm / 120mm
- ANGLE/ 15 ° UP / 10 ° UP
- BAR CLAMP/ $\phi 25.4\text{mm}$ / $\phi 25.4\text{mm}$
- POST DIAM/ $\phi 25.4\text{mm}$ / $\phi 25.4\text{mm}$
- POST LENGTH/140mm / 140mm
- WEIGHT/ 330 g / 370 g
- COLOR/SILVER



Dy II

- MATERIAL/ALUMINUM
- EXTENSION/120mm
- ANGLE/ 90 °
- BAR CLAMP/ $\phi 25.4\text{mm}$
- POST DIAM/ $\phi 22.2\text{mm}$
- POST LENGTH/140mm
- WEIGHT/360 g
- COLOR/SILVER



Road Racing

UI-26EX(SILVER)


UI-26



UI-26BX

(SHINY BLACK)

φ 31.8



- MATERIAL / FORGED ALUMINUM
- BAR CLAMP / φ 31.8 mm
- POST CLAMP / φ 28.6 mm

MODEL	EXTENSION	WEIGHT
UI-26- 60	60	140 g
UI-26- 70	70	145 g
UI-26- 80	80	150 g
UI-26- 90	90	155 g
UI-26-100	100	160 g
UI-26-110	110	165 g
UI-26-120	120	170 g


UI-27BX(SHINY BLACK)

UI-27



UI-27EX(SILVER)

φ 31.8



- MATERIAL / FORGED ALUMINUM
- BAR CLAMP / φ 31.8 mm
- POST CLAMP / φ 28.6 mm

MODEL	EXTENSION	WEIGHT
UI-27- 70	70	155 g
UI-27- 80	80	160 g
UI-27- 90	90	165 g
UI-27-100	100	170 g
UI-27-110	110	175 g
UI-27-120	120	180 g


UI-81EX(SILVER)

UI-81



UI-81BX

(SHINY BLACK)



- MATERIAL / FORGED ALUMINUM
- BAR CLAMP / φ 26.0 mm
- POST CLAMP / φ 28.6 mm
- φ 25.4mm Shim Attachment


MODEL	EXTENSION	WEIGHT
UI-81- 60	60	145 g
UI-81- 70	70	150 g
UI-81- 80	80	155 g
UI-81- 90	90	160 g
UI-81-100	100	165 g
UI-81-110	110	170 g
UI-81-120	120	175 g

UI-82BX(SHINY BLACK)

UI-82



UI-82EX(SILVER)



- MATERIAL / FORGED ALUMINUM
- BAR CLAMP / φ 26.0 mm
- POST CLAMP / φ 28.6 mm
- φ 25.4mm Shim Attachment

MODEL	EXTENSION	WEIGHT
UI-82- 60	60	145 g
UI-82- 70	70	150 g
UI-82- 80	80	155 g
UI-82- 90	90	160 g
UI-82-100	100	165 g
UI-82-110	110	170 g
UI-82-120	120	175 g



- MATERIAL / FORGED ALUMINUM
- BAR CLAMP / φ 25.4 mm
- POST CLAMP / φ 28.6 mm

MODEL	EXTENSION	WEIGHT
UI-75- 60	60	130 g
UI-75- 70	70	135 g
UI-75- 80	80	140 g
UI-75- 90	90	145 g
UI-75-100	100	150 g
UI-75-110	110	155 g
UI-75-120	120	160 g



- MATERIAL / FORGED ALUMINUM
- BAR CLAMP / φ 25.4 mm
- POST CLAMP / φ 28.6 mm

MODEL	EXTENSION	WEIGHT
UI-76- 60	60	145 g
UI-76- 70	70	150 g
UI-76- 80	80	155 g
UI-76- 90	90	160 g
UI-76-100	100	165 g
UI-76-110	110	170 g
UI-76-120	120	175 g




MTC-021
MTC-022
MTC-024
MTC-024-225

- MATERIAL / ALUMINUM
- COLOR / SILVER ANODIZED

	UPPER	LOWER	POST LENGTH	WEIGHT
MTC-021	25.4mm	22.2mm	130mm	170 g
MTC-022	28.6mm	25.4mm	130mm	180 g
MTC-024	28.6mm	22.2mm	130mm	180 g
MTC-024-225 (28.6-22.2)			225mm	250 g

MT-8EX EX(SILVER)
MT-8BX BX (SHINY BLACK)
MT-8GX GX (SHINY GRAY)



- MATERIAL / FORGED ALUMINUM
- EXTENSION / 50 mm
- BAR CLAMP / φ 31.8 mm
- POST CLAMP / φ 28.6 mm
- ANGLE / 3°
- WEIGHT / 185 g
- COLOR / SILVER(EX) ANODIZED
/ BLACK(BX) ANODIZED
/ GRAY(GX) ANODIZED



Road Racing

UI-22BX (BLACK)



UI-22EX (SILVER)

φ 31.8

UI-22

- MATERIAL / FORGED ALUMINUM
- BAR CLAMP / φ 31.8 mm
- POST CLAMP / φ 28.6 mm

MODEL	EXTENSION	COLOR	WEIGHT
UI-22-70	70	EX BX	155 g
UI-22-80	80	BX	160 g
UI-22-100	100	EX	170 g
UI-22-110	110	EX BX	175 g
UI-22-120	120	EX BX	180 g

UI-85EX (SILVER)



UI-85BX

(SHINY BLACK)

UI-85

- MATERIAL / FORGED ALUMINUM
- BAR CLAMP / φ 26.0 mm
- POST CLAMP / φ 28.6 mm

φ 25.4mm Shim Attachment

MODEL	EXTENSION	COLOR	WEIGHT
UI-85-60	60	EX BX	145 g
UI-85-70	70	EX	150 g
UI-85-80	80	BX	155 g
UI-85-100	100	EX BX	165 g
UI-85-110	110	EX BX	170 g
UI-85-120	120	EX BX	175 g

UI-86BX (SHINY BLACK)



UI-86EX (SILVER)

UI-86

- MATERIAL / FORGED ALUMINUM
- BAR CLAMP / φ 26.0 mm
- POST CLAMP / φ 28.6 mm


φ 25.4mm Shim Attachment

MODEL	EXTENSION	COLOR	WEIGHT
UI-86-60	60	EX BX	145 g
UI-86-70	70	EX BX	150 g
UI-86-80	80	BX	155 g
UI-86-90	90	BX	160 g
UI-86-100	100	BX	165 g
UI-86-110	110	BX	170 g
UI-86-120	120	EX BX	175 g




NP- (60~70)

- MATERIAL/FORGED ALUMINUM
- EXTENSION/60・70mm
- ANGLE/71°
- BAR CLAMP/φ25.4/ φ26.0mm ※1
- POST DIAM/φ22.2mm
- POST LENGTH/150mm
- WEIGHT/280~290g
- COLOR/SILVER ANODIZED




NP- (80~120)

- MATERIAL/FORGED ALUMINUM
- EXTENSION/80~120mm / every 10mm
- ANGLE/71°
- BAR CLAMP/φ25.4/ φ26.0mm ※1
- POST DIAM/φ22.2mm
- POST LENGTH/150mm
- WEIGHT/300~360g
- COLOR/SILVER ANODIZED



NTC-(50~130)-150

- MATERIAL/FORGED ALUMINUM
- EXTENSION/50~130mm
every 10mm
- ANGLE/71°
- BAR CLAMP/φ25.4mm
- POST DIAM/φ22.2mm
- POST LENGTH/150mm
- WEIGHT/280~360 g
- COLOR/SILVER



NTC-(50~130)-225

- MATERIAL/FORGED ALUMINUM
- EXTENSION/50~130mm
/ every 10mm
- ANGLE/71°
- BAR CLAMP/φ25.4mm
- POST DIAM/φ22.2mm
- POST LENGTH/225mm
- WEIGHT/340~420 g
- COLOR/SILVER




NTC-(50~100)-280

- MATERIAL/FORGED ALUMINUM
- EXTENSION/50~100mm
/ every 10mm
- ANGLE/71°
- BAR CLAMP/φ25.4mm
- POST DIAM/φ22.2mm
- POST LENGTH/280mm
- WEIGHT/375~425 g
- COLOR/SILVER




NTC-A (80~120)

- MATERIAL/FORGED ALUMINUM
- EXTENSION/80~120mm
/every 10mm
- ANGLE/72°
- BAR CLAMP/φ25.4/ φ26.0mm ※2
- POST DIAM/φ22.2mm
- POST LENGTH/145mm
- WEIGHT/300~340 g
- COLOR/SILVER ANODIZED



NY3 (70・100)

- MATERIAL/ALUMINUM
- EXTENSION/70・100mm
- ANGLE/72°
- BAR CLAMP/φ25.4mm
- POST DIAM/φ22.2mm
- POST LENGTH/160mm
- WEIGHT/300~360 g
- COLOR/SILVER



※1 It is difficult to assemble anatomic shape handlebars such as M106NAS on this stem, even with stem wrench.

※1 アナトミックのタイプのバー及びM106NASには、オプスバー(組立工具)を使用しても、組立てが非常に困難です。

※2 Because of clamp shape anatomic type bent bars cannot be installed.


※2 アナトミックのタイプのバー及びM106NASには、組付られません。



Road Racing




UI-12



- MATERIAL / CrMo
- BAR CLAMP / $\phi 31.8$
- POST DIAM / $\phi 22.2$
- COLOR / SILVER

MODEL	EXTENSION	COLUMN	WEIGHT
UI-12 - 60	60	140	310 g
UI-12 - 70	70		320 g
UI-12 - 80	80		330 g
UI-12 - 90	90		340 g
UI-12 - 100	100		350 g
UI-12 - 110	110		360 g
UI-12 - 120	120		370 g

Clamp On UI-2




- MATERIAL / CrMo
- BAR CLAMP / $\phi 26.0$
- POST CLAMP / $\phi 28.6$
- COLOR / SILVER

MODEL	EXTENSION	WEIGHT
Clamp On UI-2 - 60	60	168 g
Clamp On UI-2 - 70	70	175 g
Clamp On UI-2 - 80	80	182 g
Clamp On UI-2 - 90	90	189 g
Clamp On UI-2 - 100	100	196 g
Clamp On UI-2 - 110	110	203 g
Clamp On UI-2 - 120	120	210 g



UI-2



- MATERIAL / CrMo
- BAR CLAMP / $\phi 26.0$
- POST DIAM / $\phi 22.2$
- COLOR / SILVER

MODEL	EXTENSION	COLUMN	WEIGHT
UI-2 - 60	60	115	252 g
UI-2 - 70	70	125	270 g
UI-2 - 80	80		278 g
UI-2 - 90	90	137	300 g
UI-2 - 100	100		308 g
UI-2 - 110	110		316 g
UI-2 - 120	120		329 g

Blue

T Shirt

Black



American size
S, M, L

Not made in Japan

Racing Cap

Black



Blue

made in U.S.A.



MT-10DX -80

- MATERIAL/FORGED ALUMINUM
- EXTENSION/80mm
- ANGLE/35 ° UP
- BAR CLAMP/φ26.0mm
- POST DIAM/φ22.2mm
- POST LENGTH/190mm
- WEIGHT/340 g
- COLOR/SILVER ANODIZED



MT-10DX -100

- MATERIAL/FORGED ALUMINUM
- EXTENSION/100mm
- ANGLE/35 ° UP
- BAR CLAMP/φ26.0mm
- POST DIAM/φ22.2mm
- POST LENGTH/190mm
- WEIGHT/360 g
- COLOR/SILVER ANODIZED




MT-10-80

- MATERIAL/FORGED ALUMINUM
- EXTENSION/80mm
- ANGLE/35 ° UP
- BAR CLAMP/φ25.4mm
- POST DIAM/φ22.2mm
- POST LENGTH/160/225mm
- WEIGHT/325/358 g
- COLOR/SILVER

MT-10 -100

- MATERIAL/FORGED ALUMINUM
- EXTENSION/100mm
- ANGLE/35 ° UP
- BAR CLAMP/φ25.4mm
- POST DIAM/φ22.2mm
- POST LENGTH/160/225mm
- WEIGHT/345/378 g
- COLOR/SILVER



FU-82DX-190

- MATERIAL/FORGED ALUMINUM
- EXTENSION/80mm
- ANGLE/30 ° UP
- BAR CLAMP/φ25.4mm
- POST DIAM/φ22.2mm
- POST LENGTH/190mm
- WEIGHT/330 g
- COLOR/SILVER ANODIZED




FU-82-280

- MATERIAL/FORGED ALUMINUM
- EXTENSION/80mm
- ANGLE/30 ° UP
- BAR CLAMP/φ25.4mm
- POST DIAM/φ22.2mm
- POST LENGTH/280mm
- WEIGHT/400 g
- COLOR/SILVER





MCR22- 31.8




- MATERIAL / CrMo
- BAR CLAMP / $\phi 31.8$
- POST DIAM / $\phi 22.2$
- COLOR / SILVER

MODEL	EXTENSION	COLUMN	WEIGHT
MCR22- 60- 31.8	60	190	375 g
MCR22- 80- 31.8	80		395 g
MCR22-100- 31.8	100		415 g
MCR22-120- 31.8	120		435 g



Clamp On MCR22- 31.8




- MATERIAL / CrMo
- BAR CLAMP / $\phi 31.8$
- POST CLAMP / $\phi 28.6$
- COLOR / SILVER

MODEL	EXTENSION	WEIGHT
Clamp On MCR22- 60- 31.8	60	175 g
Clamp On MCR22- 80- 31.8	80	195 g
Clamp On MCR22-100- 31.8	100	215 g
Clamp On MCR22-120- 31.8	120	235 g



MCR22- 25.4




- MATERIAL / CrMo
- BAR CLAMP / $\phi 25.4$
- POST DIAM / $\phi 22.2$
- COLOR / SILVER

MODEL	EXTENSION	COLUMN	WEIGHT
MCR22- 60- 25.4	60	190	375 g
MCR22- 80- 25.4	80		395 g
MCR22-100- 25.4	100		415 g
MCR22-120- 25.4	120		435 g



Clamp On MCR22- 25.4



- MATERIAL / CrMo
- BAR CLAMP / $\phi 25.4$
- POST CLAMP / $\phi 28.6$
- COLOR / SILVER

MODEL	EXTENSION	WEIGHT
Clamp On MCR22- 60- 25.4	60	175 g
Clamp On MCR22- 80- 25.4	80	195 g
Clamp On MCR22-100- 25.4	100	215 g
Clamp On MCR22-120- 25.4	120	235 g



Seat Post

S65

- MATERIAL / FORGED ALUMINUM
- POST DIAM /
26.8, 27.0, 27.2 // 31.6mm
- OFFSET / 24mm
- LENGTH / 250, 300mm // 300mm
- WEIGHT / 250, 280 g // 295 g
- COLOR / SILVER ANODIZED
- / BLACK ANODIZED
φ 27.2—L250mm size only
φ 31.6—L300mm size only

*1)



S83


- MATERIAL /
FORGED ALUMINUM
- POST DIAM /
26.8, 27.0, 27.2mm
- OFFSET / 23mm
- LENGTH / 250, 300mm
- WEIGHT / 275, 300 g
- COLOR /
SILVER ANODIZED

*1)

S84

- MATERIAL /
BODY Cr.Mo.
CLAMP
FORGED ALUMINUM
- POST DIAM /
27.2mm
- OFFSET / 37mm
- LENGTH / 250 • 300mm
- WEIGHT / 405 • 445 g
- COLOR / SILVER

*1)



S92

- MATERIAL /
FORGED ALUMINUM
- POST DIAM / 27.2mm
- OFFSET / 0 mm
- LENGTH /
250, 300, 350mm
- WEIGHT /
292, 320, 348 g
- (φ 30.9 350mm 340 g)
- (φ 31.6 350mm 350 g)
- COLOR / SILVER ANODIZED
BLACK ANODIZED

*1)



Seat Post SP60

- MATERIAL / POST ALUMINUM
/ LUG STEEL
- POST DIAM / 27.2mm
- OFFSET / 17mm
- LENGTH / 270mm
- WEIGHT / 310g
- COLOR / SILVER

*1)



●この商品は、(一財)自転車産業振興協会が実施した平成28年度新商品・新技術研究開発事業により開発されたものです。

*1) Do not use a saddle with carbon fiber rails.
This seat post is not compatible with them.
*1) カーボン製レールのサドルには、非対応です。



Campee

camping carrier
steel tube construction



Campee-REAR

for 26" Wheels

- MATERIAL/STEEL TUBE
- WEIGHT/1,200 g
- COLOR/SILVER
- MAXIMUM PAYLOAD/ 1 2 kg



Campee-FRONT

for 26" Wheels

- MATERIAL/STEEL TUBE
- WEIGHT/1,185 g
- COLOR/SILVER
- MAXIMUM PAYLOAD/ 1 2 kg



Campee-27-REAR

for 27" Wheels

- MATERIAL/STEEL TUBE
- WEIGHT/1,215 g
- COLOR/SILVER
- MAXIMUM PAYLOAD/ 1 2 kg

ステー交換部品付属
Comes with two kinds of stays



Campee-27-FRONT

for 27" Wheels

- MATERIAL/STEEL TUBE
- WEIGHT/1,055 g
- COLOR/SILVER
- MAXIMUM PAYLOAD/ 1 2 kg



MT-Campee REAR-R20

for 26" Wheels

- MATERIAL/STEEL TUBE
- WEIGHT/780 g
- COLOR/SILVER
- MAXIMUM PAYLOAD/ 1 2 kg

ステー交換部品付属
Comes with two kinds of stays



MT-Campee FRONT-F20

for 26" Wheels

- MATERIAL/STEEL TUBE
- WEIGHT/1,040 g
- COLOR/SILVER
- MAXIMUM PAYLOAD/ 1 2 kg

Carrier

FRONT-M18

for 26" or 27" Wheels



- MATERIAL / CrMo STEEL TUBE
- WEIGHT / 350 g
- COLOR / SILVER
BLACK
- MAXIMUM PAYLOAD / 3 kg
- ◎ Clamp for 20mm round and 22mm oval fork blade
- ◎ クリップ(バンド)仕様
外径 20mm用 22mmオーバル用

WARNING!
FRONT-M18 is designed to use for support of handlebar bag.
Do not mount metal basket on this rack.

注意

FRONT-M18は、フロントバッグを乗せるためのキャリアです。
金属製の前カゴ等は、取付けないでください。

Rear Bag Supporter R10

for 26" or 27" Wheels

- MATERIAL / STEEL TUBE
- WEIGHT / 390 g
- COLOR / SILVER
- MAXIMUM PAYLOAD / 5 kg
- ◎ Clamp for 15mm seat stay
- ◎ クリップ(バンド)仕様
外径 15mm用



Seat Post DIAM
φ26.8~φ27.2

Rear Bag Supporter R15


for 26" or 27" Wheels



- MATERIAL / STEEL TUBE
- WEIGHT / 790 g
- COLOR / SILVER
- MAXIMUM PAYLOAD / 5 kg
- ◎ Upper: Clamp for 15mm seat stay
Lower: Clamp for 12mm and 20mm seat stay
- ◎ クリップ(バンド)仕様
上部：外径 15mm用
下部：外径 12mm用
外径 20mm用

Rear Bag Supporter R26


for 26" or 27" Wheels



- MATERIAL / STEEL TUBE
- WEIGHT / 810 g
- COLOR / SILVER
- MAXIMUM PAYLOAD / 5 kg
- ◎ Clamp for 15mm
- ◎ クリップ(バンド)仕様
外径 15mm用



Front Bag Supporter F-018




A handlebar and a bag are sold separately.
バックとハンドル バーは、別途ご購入下さい



BAG: OSTRICH F104

Front Bag Supporter F-019AA



A handlebar and a bag are sold separately.
バックとハンドル バーは、別途ご購入下さい

Lamp Holder 3

- MATERIAL / STAINLESS STEEL TUBE
- SCREW / M 6
- WEIGHT / 55g



Lamp Holder 4

- MATERIAL / STAINLESS STEEL TUBE
- SCREW / M 5
- WEIGHT / 55g



Wire Guard Protect For Saddle Bag

- MATERIAL / STAINLESS STEEL
- WEIGHT / 30g



○ Mounts easily and securely to the seat stays.
Made out of stainless steel for anti rusting.
Neat looking, good on touring bikes.

○ 製品全体がスプリングになっています。
シート・ステーに簡単に取付けることが出来て、しっかり固定します。
外観もスッキリ楽しいツーリングをお楽しみいただけます。
サビにくいステンレス素材を使用しています。



Accessories

Stem Top Cap DW81

- CAP/ALUMINUM
- WEIGHT/27g
- Inside Diameter of Stem $\phi 28.6\text{mm}$
DW81($\phi 32 \times \phi 28.0\text{mm}$)



DW81 Silver



DW81 Gold

DW81 Red



DW81 Blue

DW81 Black



Lamp Holder 31.8

- BODY/FORGED ALUMINUM
- BAR CLAMP/ $\phi 31.8\text{mm}$
- SHORT BAR DIAM/ $\phi 23.8\text{mm}$
LENGTH/50、90mm
- WEIGHT/96g(BAR50mm)



$\phi 26.0$

Lamp Holder 70

- BODY/FORGED ALUMINUM
- BAR CLAMP/ $\phi 26.0\text{mm}$
- SHORT BAR DIAM/ $\phi 23.8\text{mm}$
LENGTH/50、90mm
- WEIGHT/92g(BAR50mm)



$\phi 26.0$

Lamp Holder 2-70

- BODY/FORGED ALUMINUM
- BAR CLAMP/ $\phi 26.0\text{mm}$
- SHORT BAR DIAM/ $\phi 22.2\text{mm}$
LENGTH/200mm
- WEIGHT/235g



Lamp Holder 6 L Lamp Holder 6 R



FOR M18 FRONT CARRIER

- MATERIAL/STAINLESS STEEL/STEEL

6 L

- Riding Right side of the road (e.g. U.S.A.)



6 R

- Riding Left side of the road (e.g. Japan, U.K.)
- 左側通行



Lamp Holder 8 L Lamp Holder 8 R



FOR Campee FRONT
(or FRONT CARRIER)

- MATERIAL/STAINLESS STEEL/STEEL

8 L

- Riding Right side of the road (e.g. U.S.A.)




8 R

- Riding Left side of the road (e.g. Japan, U.K.)
- 左側通行




Accessories

Outer Cable Stopper




AS-1
for TOURING
■ Stopper/ STEEL
■ Adjustment Screw/ ALUMINUM
■ WEIGHT/ 7g



AS-2
■ Stopper/ STEEL
■ L/ 45mm
■ B/ 13mm
■ WEIGHT/ 7g

AS-3

■ Stopper/ STEEL
■ L/ 35mm
■ B/ 11mm
■ WEIGHT/ 6g




AS-5

■ Stopper/ STEEL
■ WEIGHT/ 7g

Stays(for carrir)

ツナギロッド(キャリア用交換部品)




MATERIAL:ALUMINUM
COLOR:SILVER


MODEL	L
CF059	150mm
	180mm
	350mm
	420mm

2 Pcs./package
『ツナギロッド』2ヶ入り

Bolt Cap



For Bolt



MODEL	(S)	For Bolt
Bolt Cap M8	6mm	M8
Bolt Cap M6	5mm	M6
Bolt Cap M5	4mm	M5

MATERIAL:STAINLESS STEEL
WEIGHT:(1g)
COLOR:SILVER
4 Pcs./package

Bar End Cap EC-01 (Bar Diam Φ24)



EC-01 Black



EC-01 Blue



EC-01 Silver

■ WEIGHT/ 25g×2
■ Inside Diameter of Bar Φ20~22mm



EC-01 Green




EC-01 Gold



EC-01 Red

Bar End Cap EC-02 (Bar Diam Φ22.2)

Two sizes of rubber bush included
ブッシュサイズ2種類入り



Φ22.2



EC-02 Blue

EC-02 Red

EC-02 Black

EC-02 Gold

EC-02 Green

EC-02 Silver

Bottle Cage 80

- MATERIAL / STAINLESS STEEL TUBE
- WEIGHT / 48.5g

Bottle diameter: 74mm
ボトルの外径 74mm



Bottle Cage R

- MATERIAL / STAINLESS STEEL
- WEIGHT / 53g

Bottle diameter: 74mm
ボトルの外径 74mm



Bottle Cage 500

ペットボトル:
500ml用

- MATERIAL / STAINLESS STEEL
- WEIGHT / 55g

Bottle diameter: 68mm
ボトルの外径 68mm



*The Bottle Cage "80", "R" are made to hold a standard size plastic water bottle: 74mm in diameter.

*ボトルケージ 80、R は、標準サイズの外径74mmのプラスチック製ボトルを想定して製作しています。

Stem Tool 4




Designed to be used with:

- Stemes / NP, NP II, NTC, NJ, PRO-AA
NJ, PRO(STEEL), LS100...etc
- MATERIAL / STEEL
- WEIGHT / 138g



Stainless Shim

- MATERIAL / STAINLESS STEEL
- WEIGHT / 8g



Attachment for EX



Standard
(for SHIMANO)



Option Attachment
(for CAMPAGNOLO)

CYCLE STAND EX

- MATERIAL / STEEL TUBE
- WEIGHT / 700 g
- COLOR / SILVER

for 27" Wheels



CYCLE STAND EX-20

for 20" Wheels



日東製品の保証について

日東は、小売店から購入されたお客様に対し、購入された日から3年間に限り、材料及び製造で生じた製品の不具合につき、保証します。

サービスを受けるには、製品を購入した販売店の領収書、クレジットの領収書、あるいは購入日が明記された証書を同封して購入された販売店又は日東までお送り下さい。

転倒等により傷ついた製品、リサイクル品、変造された製品は、保証の対象にはなりません。

Nitto Product Warranty

Nitto warrants that the Nitto products are free from defects in materials and workmanship for period of three years from date of purchase. The warranty is valid for customer purchased from a retail store.

To obtain service, please send the product to the retailer or Nitto together with the retailer's receipt, credit card receipt, or proof of purchase stating the date of purchase.

Caution

Damaged products due to falls, recycled, or modified products are not covered by the warranty.

No.38-2025 web

NITTO Co.,Ltd.
Since 1923

株式会社 日 東

3-23-7 Minami Hatogaya
Kawaguchi Saitama 334-0013 Japan
T E L : 81-48-286-7771
F A X : 81-48-286-7770
E-mail:nitto@violin.ocn.ne.jp
<https://nitto-tokyo.sakura.ne.jp>



東京事務所：〒334-0013
埼玉県川口市南鳩ヶ谷3-23-7
T E L : 048-286-7771(代)
F A X : 048-286-7770
E-mail:nitto@violin.ocn.ne.jp
<https://nitto-tokyo.sakura.ne.jp>



本 社：(東京都荒川区西日暮里1-15-5)
福島工場：〒964-0938
福島県二本松市安達ヶ原6-151-1